



 **KÄRCHER**

Same great equipment...just a new color!

EQUIPMENT CATALOG

Hot & Cold Water Pressure Washers
Detergents ▲ Parts & Accessories


*Plus, with Kärcher...**BIGGER Selection, BETTER Support, MORE Options!***



Shark-Kärcher pressure washers are the exact same models as Shark, except in a new color and with a greater selection

800-771-1881

www.shark-pw.com



Same great equipment...just a new color!

Built in North America

ANNOUNCING for Shark Customers... Top-Selling Karcher Pressure Washers



Karcher was the only brand of pressure washers chosen to clean Mount Rushmore in the summer of 2005



For Shark customers, it means...

- Same great equipment...*just a new color!*
- Same great service...*just more options!*
- Same great selection...*now even bigger!*

You've never had so much from Shark!

Shark has teamed up with Karcher to provide the most extensive and comprehensive line of hot and cold water pressure washers in our history. Here are just a few of the benefits to you and your customers with the merging of the Shark and Karcher equipment lines:

- **NEARLY 100** hot and cold water models now in stock ready to ship
- **DOUBLE** the number of natural gas-heated hot water pressure washers
- **NEW** stainless steel coil wraps are now standard on hot water models
- **NEW** chrome handles are now standard on all cold water models



40,000+
Pressure Washer Parts
Available to Order



Who is Karcher?

Karcher is a pioneer in high-pressure cleaning equipment having invented the first hot water pressure washer in 1950.

Today Karcher is the world's largest manufacturer of pressure washers and is the undisputed leader in innovation with more than 300 patents.

Karcher is so dominant in the world market that a Karcher pressure washer is purchased somewhere on earth every 6 seconds.

Call today for details 800-771-1881 or visit us at www.shark-pw.com



Same great equipment...just a new color!

Built in North America

C O L D W A T E R P R E S S U R E W A S H E R S

KARCHER DG SERIES

Gasoline-Powered, Direct-Drive, Cart Design

Heavy-duty, direct-drive pressure washer that's compact enough to fit in the trunk of many cars

Chrome Handles Now Standard



KARCHER 7-YEAR PUMP WARRANTY



Cart design: Gasoline-powered, direct-drive



Same Pump, Same Kit
Shark-Karcher crankcase pumps use the same repair kits as Shark and Legacy pumps.

The DG series pressure washers are tough gasoline-powered direct-drive cold water machines that deliver cleaning power of up to 3500 PSI. Built on compact sturdy steel frames, each unit features a dependable industrial-grade Honda engine, Karcher crankcase pump, hose/gun rack, detergent injection, and tubed pneumatic tires. All models are ETL certified.

Features

- Chrome handles
- Steel frame with powder coat finish
- Honda GX engine on most models
- Cleaning power up to 3500 PSI
- Industrial direct-drive Karcher crankcase pump on most models

Model	Order No.	GPM	PSI	Engine	HP	Pump	Ship Wt
DG-232336	1.575-110.0	2.3	2300	Honda GC	5	Karcher Axial*	130 lbs
KSP DG-232437	1.575-100.0	2.3	2400	Honda GX	5.5	Karcher KG	134 lbs
KSP DG-252737	1.575-101.0	2.5	2700	Honda GX	6.5	Karcher KG	137 lbs
KSP DG-303037	1.575-102.0	3.0	3000	Honda GX	9	Karcher KG	175 lbs
DG-353237	1.575-103.0	3.5	3200	Honda GX	13	Karcher KG	190 lbs
KSP DG-383537	1.575-104.0	3.8	3500	Honda GX	13	Karcher KS	195 lbs

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-026.0	E-Z Hose Reel Kit, 100 ft.; no hose

* Comes with 5-year pump warranty

Dimensions: 35"L x 21"W x 24"H

KARCHER KG SERIES

Gasoline-Powered, Direct-Drive, Handtruck Design

Ideal combination of professional performance and value with German-engineered direct-drive pump



FREE Hose Reel on 9 & 13 HP Models



5 YEAR PUMP WARRANTY

Handtruck design: Gasoline-powered, direct-drive

The new KG series of commercial-duty, gas-powered cold water pressure washers offers the ideal balance between professional performance and value. Powered by reliable Honda engines, all four models have Karcher's German-engineered, direct-drive commercial axial pump, rugged steel frame with handtruck design, tubed pneumatic tires and 50' of commercial-duty hose (9 and 13 HP models come with a 100 ft. hose reel).

Features

- Reliable Honda engines
- Commercial-duty Karcher axial pump with 5-year warranty
- Reinforced upright steel frame
- Stainless steel wand
- Unmatched value

Model	Order No.	GPM	PSI	Engine	HP	Pump	Ship Wt
KSP KG-252437	1.575-105.0	2.5	2400	Honda GC	5	Karcher Axial	95 lbs
KSP KG-262637	1.575-106.0	2.6	2600	Honda GC	6	Karcher Axial	100 lbs
KSP KG-313137*	1.575-107.0	3.1	3100	Honda GX	9	Karcher Axial	155 lbs
KSP KG-403637*	1.575-108.0	4.0	3600	Honda GX	13	Karcher Axial	175 lbs

* 9 and 13 HP units come standard with a 100 ft. hose reel; hose not included


Dimensions: 22"L x 23"W x 35"H (42"H with hose reel)

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.103-055.0	Non-pivoting hose reel, 100 ft.; no hose



Karcher Stocking Program • See Page 9



Same great equipment...just a new color!

Built in North America

C O L D W A T E R P R E S S U R E W A S H E R S

KARCHER BG SERIES

Gasoline-Powered, Belt-Drive, Cart Design

A very portable and compact pressure washer yet has the added long-life benefit of a belt-drive pump



Chrome Handles Now Standard

Cart design: Gasoline-powered, belt-drive



Our BG cold-water series provides a broad selection of rugged, belt-drive units, all with reliable Honda GX engines, which deliver cleaning volume of up to 3.7 GPM. Each model is ETL certified to UL-1776 safety standards and comes with a rugged steel chassis, cast iron belt pulley system, tubed pneumatic tires, and industrial-grade Karcher crankcase pump.

Features

- Chrome handles
- Powder coated steel chassis
- Reliable Honda GX engine
- Water volume up to 3.7 GPM
- Industrial belt-drive Karcher pump
- Tubed pneumatic tires

Model	Order No.	GPM	PSI	Engine	HP	Pump	Ship Wt
BG-282037*	1.575-150.0	2.8	2000	Honda GX	5.5	Karcher KD	155 lbs
BG-252737*	1.575-151.0	2.5	2700	Honda GX	6.5	Karcher KD	163 lbs
BG-303037	1.575-152.0	3.0	3000	Honda GX	9	Karcher KD	220 lbs
BG-373537	1.575-154.0	3.7	3500	Honda GX	13	Karcher KM	255 lbs
BG-304037	1.575-155.0	3.0	4000	Honda GX	13	Karcher KM	265 lbs
BG-353237	1.575-156.0	3.5	3200	Honda GX	13	Karcher KM	257 lbs

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-025.0	E-Z Hose Reel Kit, 100 ft. 5000 psi; no hose

Dimensions:

*Compact Frame: 37"L x 21"W x 24"H;
All Others: 45"L x 26"W x 24"H

Same Pump, Same Kit
Shark-Karcher crankcase pumps use the same repair kits as Shark and Legacy pumps.

KARCHER BR SERIES

Gasoline-Powered, Belt-Drive, Cage Design

Built extra-rugged for high-powered cleaning of up to 5000 PSI in the toughest of applications



KARCHER 7-YEAR PUMP WARRANTY

Cage design: Double-axle, gas-powered, belt-drive



These Shark-Karcher roll cage units are the most powerful machines in our cold water line, with cleaning power of up to 5000 PSI. Protected by a rugged powder coated roll cage built of 1 1/4" steel, these units feature powerful Honda, Vanguard or Lombardini engines, tri-plunger oil bath Karcher crankcase pumps, electric start, 13-inch tubed pneumatic tires, and an extra rugged belt-drive assembly with notched V belts and cast iron pulleys. All models are ETL safety certified.

Features

- Rugged steel chassis & roll cage
- Both gas- and diesel-powered models
- Electric start on dual axle models
- Cleaning power up to 5000 PSI
- Industrial belt-drive Karcher pump with 7-year warranty
- 13" tubed pneumatic tires

Model	Order No.	GPM	PSI	Engine	HP	Start	Fuel	Pump	Axles	Ship Wt
BR-442537	1.575-206.0	4.4	2500	Honda	13	Recoil	Gas	Karcher KM	1	290 lbs
BR-353237	1.575-204.0	3.5	3200	Honda	13	Recoil	Gas	Karcher KM	1	290 lbs
BR-373537	1.575-205.0	3.7	3500	Honda	13	Recoil	Gas	Karcher KM	1	290 lbs
BR-304037	1.575-203.0	3.0	4000	Honda	13	Recoil	Gas	Karcher KM	1	280 lbs
BR-404027E*	1.575-207.0	4.0	4000	Vanguard	16	Electric	Gas	Karcher KM	2	315 lbs
BR-343087E*	1.575-202.0	3.4	3000	Lombardini	10	Electric	Diesel	Karcher KM	2	430 lbs
BR-405037E*	1.575-200.0	4.0	5000	Honda	20	Electric	Gas	Karcher KH	2	420 lbs
BR-455037E*	1.575-201.0	4.5	5000	Honda	24	Electric	Gas	Karcher KH	2	425 lbs

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-028.0	E-Z Hose Reel Kit, 100 ft., single axle
9.801-029.0	Rapid Reel Hose Reel Kit, 100 ft., 5000 psi, double axle

Note: Hose not included with hose reel kit

*E = Electric start, battery not included

Dimensions: 42"L x 26"W x 30"H



KARCHER 7-YEAR PUMP WARRANTY

Cage design: Single-axle, gas-powered, belt-drive





Same great equipment...just a new color!

Built in North America

C O L D W A T E R P R E S S U R E W A S H E R S

KARCHER RG SERIES

Gasoline-Powered, Direct-Drive, Residential Use

Extra-economical cold water pressure washers designed for homeowner use and when price dictates the sale



Shark-Karcher offers the RG line of gas-powered, direct-drive cold water pressure washers designed for residential use. It will be available to customers in the spring of 2008.

Features

- Durable steel frame
- Portable, easy to transport

Model	Order No.	GPM	PSI	Engine	HP	Pump	Ship Wt
RG-232637 *	1.112-654.0	2.3	2600	Honda GC	5	Karcher Axial	95 lbs
RG-253037	1.112-664.0	2.5	3000	Honda GC	6	Karcher Axial	95 lbs
RG-364037	1.112-674.0	3.6	4000	Honda GX	13	Karcher Axial	165 lbs

* Vertical shaft pump

Residential Use: Gas-powered, direct-drive

KARCHER DE SERIES

Electric-Powered, Direct-Drive, Cart Design

Zero emissions, quiet operation and portability make the DE ideal for most indoor cleaning applications



Cart design: Electric-powered, direct-drive

Our electric-powered DE series pressure washers are durable direct-drive units that can deliver cleaning volume of up to 3.5 GPM. Powered by heavy duty industrial-grade Baldor motors, these compact electric units feature tri-plunger oil bath Karcher crankcase pumps, powder coated steel chassis, hose racks, and tubed pneumatic tires.

Features

- Chrome handles
- Direct-drive Karcher crankcase pump
- Available in 120V and 230V
- UL & CSA certified

Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt
DE-201007D	1.575-250.0	2.0	1000	1.5	120V / 1ph	15	Karcher KE	140 lbs
DE-201507D	1.575-251.0	1.9	1500	2	120V / 1ph	20	Karcher KE	150 lbs
DE-301007D	1.575-252.0	2.8	1000	2	120V / 1ph	20	Karcher KE	150 lbs
DE-352007A	1.575-253.0	3.5	2000	5	230V / 1ph	22	Karcher KE	167 lbs

Dimensions: 35"L x 21"W x 24"H

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-027.0	E-Z Hose Reel Kit, 100 ft.; no hose

KSP Karcher Stocking Program
See Page 9

KARCHER HE & CD SERIES

Electric- & Gasoline-Powered Handheld Design

Lightweight, but rugged, these hand-carrying models are ideal for cleaning around the home or small business



Handheld HE:
Electric-powered

Handheld CD:
Gasoline-powered

These light-industrial handheld units, both the electric- and gasoline-powered models, are significantly more rugged than typical consumer substitutes and are built with rugged steel frames and dependable axial pumps.

Features

- Durable steel frame
- Axial pump on most models
- Portable, easy to transport

Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt
HE-201006D	1.575-400.0	2.0	1000	1.5	120 V / 1ph	15	Karcher Axial*	91 lbs
HE-201406D	1.575-401.0	1.8	1400	2	120V / 1ph	20	Karcher Axial*	95 lbs

Model	Order No.	GPM	PSI	Engine	HP	Pump	Ship Wt
CD-232336	1.575-351.0	2.3	2300	Honda GC	5	Karcher Axial*	70 lbs
CD-232437	1.575-350.0	2.3	2400	Honda GX	5.5	Karcher KG	80 lbs

* Comes with 5-year pump warranty

Dimensions: 16"L x 24"W x 22"H



Same great equipment...just a new color!

Built in North America

C O L D W A T E R P R E S S U R E W A S H E R S

KARCHER CB SERIES

Electric-Powered, Belt-Drive, Cabinet Design

Capable of handling hot water from a boiler, the CB is ideal for kitchen, institution and wash bay applications

Our cold-water cabinet units really take the heat, accepting heated water up to 180°F. Protected in durable steel cabinets, they demonstrate industrial strength throughout, including belt-drive Karcher crankcase pumps, industrial Baldor motors, and magnetic starters for operator safety. All models are ETL certified to UL and CSA safety standards.

Features

- Accept hot water up to 180°F
- Powder coated steel cabinets
- Belt-drive pump w/ 7-year warranty
- Available in 120V, 208V, 230V, 460V



Cabinet design: Electric-powered, belt-drive



Wheel Kit with detergent rack and optional hose reel



Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	Ship Wt
CB-301007D	1.575-300.0	2.8	1000	2	120V / 1ph	20	Karcher KD	210 lbs
CB-402007A	1.575-301.0	4.2	2000	6	230V / 1ph	29	Karcher KM	285 lbs
CB-402007B	1.575-302.0	4.2	2000	6	230V / 3ph	19	Karcher KM	255 lbs
CB-402007C	1.575-303.0	4.2	2000	6	460V / 3ph	11	Karcher KM	260 lbs
CB-402007H	1.575-305.0	4.2	2000	6	208V / 3ph	16	Karcher KM	265 lbs
CB-353007A	1.575-306.0	3.5	3000	7.5	230V / 1ph	36	Karcher KM	330 lbs
CB-353007B	1.575-307.0	3.5	3000	7.5	230V / 3ph	19	Karcher KM	275 lbs
CB-353007C	1.575-308.0	3.5	3000	7.5	460V / 3ph	11	Karcher KM	270 lbs
CB-353007G	1.575-309.0	3.5	3000	7.5	208V / 1ph	38	Karcher KM	332 lbs
CB-353007H	1.575-310.0	3.5	3000	7.5	208V / 3ph	23	Karcher KM	271 lbs

Dimensions: 26"L x 20"W x 16"H

OPTIONS (Factory Installed)

PART NO.	DESCRIPTION
9.801-002.0	Conversion to Stainless Steel Cabinet & Cover
9.801-011.0	Auto Start Stop
9.801-012.0	Time-Delay Shutdown (6 & 7.5 HP models)
9.801-013.0	Hour Meter
9.801-031.0*	Wheel Kit with Detergent Rack
9.801-033.0*	Wall Mount Kit

PART NO.	DESCRIPTION
9.801-034.0*	Floor Stand, 36" Tall
9.801-035.0*	Caster Wheels for Floor Stand
9.801-036.0*	Hose Reel Kit, Floor Stand Only, 100 ft., No Hose
9.804-067.0*	Hose Reel, For Wheel Kit, 100 ft., No Hose
9.802-265.0*	Hose Reel Kit, Wall Mount, 100 ft.; No Hose

* Field installed only



Floor stand with caster wheels

KARCHER KE SERIES

Electric-Powered, Direct-Drive, German Engineering

Four portable, compact models with an ergonomic design, triple changeover nozzle and total trigger shut-off

Shark-Karcher offers four cold water pressure washers with the highly innovative German engineering, such as a patented direct-drive pump, ergonomic trigger gun, complete shutoff at the trigger gun, and a triple changeover nozzle that allows for easy altering the flow and pressure.

Features

- Compact, ergonomic design
- Total trigger shut off
- Triple changeover nozzle
- Low-pressure detergent injection



Kitchen model: Compact 120V

Stand-Up design: German engineering and innovation

Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt
KE-181307D	1.514-111.0	1.8	1300	2.2	120 V / 1ph	15	Karcher Axial	65 lbs
A KE-231407D*	1.150-614.0	2.3	1400	3.2	120V / 1ph	20	Karcher Axial	75 lbs
KE-231507D	1.150-611.0	2.3	1500	3.2	120V / 1ph	20	Karcher Axial	75 lbs
B KE-302007A	1.150-610.0	3.0	2000	5.2	230V / 1ph	20	Karcher Axial	105 lbs

* Designed for food service or kitchen applications; accepts hot water of up to 180°F

Dimensions: (120V models) 15"L x 14"W x 24"H; (230V model) 18"L x 16"W x 40"H



Same great equipment...just a new color!

Built in North America

HOT WATER PRESSURE WASHERS

KARCHER SGP SERIES

Gasoline-Powered, Diesel-Heated, Cage Design

Our most popular model for the commercial market because it is self-contained and so easy to maneuver



Compact cage design:
6 and 7 HP models



These portable gas-powered hot water units are built using heavy-duty components and rugged steel chassis to withstand the most rigorous conditions. Their compact frame design and tubed pneumatic wheels provide easy maneuvering in all terrains. Each unit is ETL certified and comes with a leak free Schedule 80 heating coil surrounded by a standard stainless steel wrap.

Features

- Stainless steel coil wrap standard
- Rugged frame with powder finish
- Tubed pneumatic tires
- Adjustable thermostat
- Schedule 80 heating coil
- ETL certified to UL & CSA Standards

Model	Order No.	GPM	PSI	Engine	Start	Drive	Pump	Burner	Ship Wt
SGP-302017	1.575-554.0	2.5	2000	Subaru 6	Recoil	Direct	Karcher KG	12V DC	390 lbs
SGP-302517	1.575-555.0	2.8	2500	Subaru 7	Recoil	Direct	Karcher KG	12V DC	410 lbs
SGP-303037	1.575-550.0	3.0	3000	Honda 9	Recoil	Direct	Karcher KG	12V DC	530 lbs
SGP-353037	1.575-551.0	3.5	3000	Honda 11	Recoil	Direct	Karcher KS	12V DC	545 lbs
SGP-353037E*	1.575-552.0	3.5	3000	Honda 11E	Electric	Direct	Karcher KS	12V DC	560 lbs
SGP-403537E*	1.575-553.0	3.5	3500	Honda 13E	Electric	Direct	Karcher KS	12V DC	570 lbs

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-024.0	E-Z Hose Reel Kit, 100 ft, No Hose
9.804-570.0	Hose Reel Kit, Pivot, 100 ft.; no hose

* E = Electric Start; only 13HP model ships with battery

Dimensions: Full-size 46"L x 28"W x 44"H

Compact 39"L x 28"W x 42"H



Full-size cage design:
9-13 HP models



KARCHER SSG SERIES

Gasoline-Powered, Diesel-Heated, Skid Design

Our most rugged pressure washer designed for continuous, on-site power washing with hot water



Skid design: Gasoline-powered, diesel/oil-heated



Battery not included

These rugged, oil-fired skids are the workhorses of the pressure washer industry. Delivering up to 5.6 GPM of hot water at up to 3500 PSI, these rugged gas- and diesel-powered machines are built on an open frame using heavy-gauge 1 1/4" powder coated steel and are ideal for mounting to a truck or on a trailer. The electric-start engine (battery not included) and powerful belt-drive Karcher KT pump are isolated from the rest of the machine on a shock-mounted sub-frame to reduce vibration. Steam combination is standard.

Features

- 1 1/4" full steel skid frame
- Burner available in 12V DC or 120V AC
- Karcher belt-drive tri-plunger pump with 7-year warranty
- 1/2" Schedule 80 heating coil
- Stainless steel coil wrap
- Steam combination standard
- ETL safety certified

Model	Order No.	GPM	PSI	Engine	Fuel	Drive	Pump	Burner	Generator	Ship Wt
SSG-403037E	1.575-600.0	3.9	3000	Honda 13E	Gas	Belt	Karcher KT	12V DC	No	840 lbs
SSG-503027E	1.575-601.0	4.8	3000	Vanguard 16	Gas	Belt	Karcher KT	12V DC	No	854 lbs
SSG-503027E/G	1.575-602.0	4.8	3000	Vanguard 16	Gas	Belt	Karcher KT	120V AC	Yes	945 lbs
SSG-503537E	1.575-603.0	4.7	3500	Honda 20	Gas	Belt	Karcher KT	12V DC	No	855 lbs
SSG-503537E/G	1.575-604.0	4.7	3500	Honda 20	Gas	Belt	Karcher KT	120V AC	Yes	935 lbs
SSG-603537E	1.575-605.0	5.6	3500	Honda 24	Gas	Belt	Karcher KT	12V DC	No	852 lbs
SSG-603537E/G	1.575-606.0	5.6	3500	Honda 24	Gas	Belt	Karcher KT	120V AC	Yes	970 lbs
SSD-603567E	1.575-609.0	5.6	3500	Lombardini 27	Diesel	Belt	Karcher KT	12V DC	No	1200 lbs
SSD-603567E/G	1.575-610.0	5.6	3500	Lombardini 27	Diesel	Belt	Karcher KT	120V AC	Yes	1280 lbs


Dimensions: Gasoline-powered 41"L x 41"W x 41"H; Diesel-powered 44"L x 51"W x 41"H



Same Pump, Same Kit
Shark-Karcher crankcase pumps use the same repair kits as Shark and Legacy pumps.

OPTIONS (Field Installed)

PART NO.	DESCRIPTION	LIST PRICE
9.801-003.0	Wheel Kit Assembly	\$405
8.903-430.0	Stackless Flue Adapter	\$139
8.904-051.0	Battery Installed (20 & 24 HP models only)	\$200



Same great equipment...just a new color!

Built in North America

HOT WATER PRESSURE WASHERS

KARCHER STP SERIES

Electric-Powered, Diesel-Heated, Cage Design

Compact design, portability and ease of operation make the STP a very popular series among customers



Cage design: Electric-powered, diesel/oil-heated

KSP Karcher Stocking Program See Page 9

Built on a rugged 1 1/4" steel frame, these compact electric roll cage models are designed for construction sites, farms and factories where electricity is readily available. The three models deliver hot water cleaning of up to 2000 PSI using 120V or 230V/1ph. Each features a direct-drive pump with 7-year warranty, industrial-grade Baldor motor and stainless steel coil wrap.

Features

- Available in 120V and 230V
- Direct-drive crankcase style pumps
- Stainless steel coil wrap standard
- Oil-water separator and hour meter
- 1725 RPM motors on 1.5-2 HP models

Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	Ship Wt
KSP STP-231007D	1.575-511.0	2.0	1000	1.5	120V / 1 ph	15	Karcher KE	480 lbs
KSP STP-201507D	1.575-512.0	1.9	1500	2	120V / 1 ph	20	Karcher KE	480 lbs
KSP STP-352007A	1.575-513.0	3.5	2000	5	230V / 1 ph	22	Karcher KE	500 lbs

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-024.0	E-Z Hose Reel Kit, 100 ft.; no hose
9.804-570.0	Hose Reel Kit, Pivot, 100 ft.; no hose

Dimensions: 39"L x 27"W x 44"H

KARCHER HPB SERIES

Electric-Powered, Diesel-Heated, Handtruck Design

For its ruggedness and affordability, the HPB is an exceptional value in portable hot water pressure washers



Handtruck design: 1.5 HP, electric-powered, diesel/oil-heated



Handtruck design: 2 to 7.5 HP, electric-powered, diesel/oil-heated

Karcher offers 9 HPB models with their unique hand truck design, all-metal frame, heavy-duty vertical heating coil with stainless steel wrap, water-resistant control box and tubed pneumatic tires. Units come with direct-drive or belt-drive Karcher crankcase pumps. All are ETL certified to UL and CSA safety standards.

Features

- Available in 120V, 230V and 460V
- Belt- or direct-drive Karcher pump
- 1/2-inch Schedule 80 heating coil
- Stainless steel coil wrap

Model	Order No.	GPM	PSI	HP	Electrical	Amps	Drive	Pump	Ship Wt
KSP HPB-201107D*	1.575-500.0	2.0	1000	1.5	120V / 1 ph	20	Direct	Karcher KE	345 lbs
HPB-201407D	1.575-501.0	2.0	1400	2	120V / 1 ph	20	Direct	Karcher KE	430 lbs
HPB-251007D	1.575-502.0	2.5	1000	2	120V / 1 ph	20	Direct	Karcher KE	405 lbs
KSP HPB-251607D	1.575-503.0	2.5	1600	3	230V / 1 ph	18	Direct	Karcher KE	420 lbs
HPB-352007A	1.575-504.0	3.5	2000	5	230V / 1 ph	23	Direct	Karcher KE	460 lbs
HPB-392007A	1.575-505.0	3.9	2000	6	230V / 1 ph	29	Belt	Karcher KM	600 lbs
HPB-353007A	1.575-508.0	3.5	3000	7.5	230V / 1 ph	36	Belt	Karcher KM	680 lbs
HPB-353007B	1.575-509.0	3.5	3000	7.5	230V / 3 ph	25	Belt	Karcher KM	640 lbs
HPB-353007C	1.575-510.0	3.5	3000	7.5	460V / 3 ph	13	Belt	Karcher KM	605 lbs

* Does not accept options listed below

Dimensions: 1.5HP 31"L x 23"W x 40"H • 2-5HP 28"L x 28"W x 43"H • 6-7.5HP 41"L x 32"W x 44"H

OPTIONS (Factory Installed)

PART NO.	DESCRIPTION
9.801-007.0	Hour Meter
9.801-008.0	Float Tank (6 - 7.5 HP units, with soap valve)
9.801-041.0	Fuel Filter / Water Separator
9.801-005.0*	Auto Start/Stop (2 - 5 HP models)
9.801-006.0*	Auto Start/Stop (6 - 7.5 HP models)
9.801-046.0*	Auto Start/Stop & Steam Combo (2 - 5 HP)
9.804-512.0*	Auto Start/Stop & Steam Combo (6 - 7.5 HP)
9.804-513.0*	Auto Start/Stop & Float Tank (6 - 7.5 HP)
9.804-514.0*	Auto Start/Stop, Steam & Float Tank (6 - 7.5 HP)

PART NO.	DESCRIPTION
9.801-045.0	Steam Combination (2-5 HP models)
9.804-515.0	Steam Combination (6-7 HP, if w/ float tank)
9.801-009.0	Steam Combination (6-7 HP, if no float tank)
9.801-000.0*	Time Delay Shutdown (2 - 5 HP models)
9.801-001.0*	Time Delay Shutdown (6 - 7.5 HP models)
9.801-023.0**	E-Z Hose Reel Kit, 100 ft, no hose

* Time Delay Shutdown and Auto Start/Stop are mutually exclusive
** Field installed only

Same Pump, Same Kit
Shark-Karcher crankcase pumps use the same repair kits as Shark and Legacy pumps.



Same great equipment...just a new color!

Built in North America

H O T W A T E R P R E S S U R E W A S H E R S

KARCHER SSE SERIES

Electric-Powered, Diesel-Heated, Skid Design

NEW... Rugged hot water pressure washer designed for outdoor, on-site cleaning where there's electricity



KARCHER
7-YEAR
PUMP
WARRANTY



Skid design: Electric-powered, diesel/oil-heated



Same Pump, Same Kit
Shark-Karcher crankcase pumps use the same repair kits as Shark and Legacy pumps.

For customers with AC current available on the job site, our SSE Series electric skid models are an attractive alternative to gas-powered units. These three models come with all the industrial ruggedness of our gasoline series and are built with an open design on a 1 1/4" powder-coated steel frame. The powerful Karcher belt-drive crankcase pump and Baldor motor are isolated from the rest of the machine on a shock-mounted sub-frame to reduce vibration. Auto start-stop and steam combination come standard with all models.

Features

- Electric powered, 230V and 460V
- 1/2" Schedule 80 heating coil
- Belt-drive Karcher crankcase pump
- Auto start-stop standard
- Rugged steel frame with shock-mounted sub-frame to reduce vibration
- ETL certified to UL and CSA standards
- Steam combination

Model	Order No.	GPM	PSI	HP	Electrical	Amps	Drive	Pump	Ship Wt
SSE-503007A	1.575-620.0	4.8	3000	10	230V / 1 ph	45	Belt	Karcher KT	900 lbs
SSE-503007B	1.575-621.0	4.8	3000	10	230V / 3 ph	30	Belt	Karcher KT	830 lbs
SSE-503007C	1.575-622.0	4.8	3000	10	460V / 3 ph	16	Belt	Karcher KT	820 lbs

Dimensions: 41"L x 41"W x 41"H

OPTIONS (Field Installed)

PART NO.	DESCRIPTION
9.801-003.0	Wheel Kit Assembly
8.903-430.0	Stackless Flue Adapter

KARCHER EEC SERIES

All-Electric, Hot Water, Cabinet Design

NEW... Cabinet-style, all-electric pressure washer delivers hot water cleaning on demand, ideal for indoors



KARCHER
7-YEAR
PUMP
WARRANTY



Cabinet design:
All-electric hot water

The EEC all-electric hot water pressure washer introduces hot-water tank technology to deliver hot water on demand ideal for indoor cleaning. Water is heated by flowing through a coil inside an 80-gallon water tank. Nine 4500W heating elements generate 138,000 BTU to produce hot water on demand of up to 180°F. Both models are ETL certified.

Features

- Quiet, enviro-clean and user friendly
- Rust-free stainless steel coil enhances high-efficiency heat transfer
- Auto start-stop for on-demand cleaning
- Belt-drive pump with 7-year warranty


Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	Ship Wt
EEC-422007C	1.109-075.0	4.2	2000	6	460V / 3ph	55	Karcher Axial	620 lbs
EEC-353007C	1.109-076.0	3.5	3000	7.5	460V / 3ph	59	Karcher Axial	620 lbs

Dimensions: 32"L x 24"W x 52"H



What is the Karcher Stocking Program (KSP)?

To ensure timely shipment of equipment, Shark-Karcher has created the Karcher Stocking Program in which more than 30 of our most popular models are always—or nearly always—in stock at all times ready for you to order.



Same great equipment...just a new color!

Built in North America

HOT WATER PRESSURE WASHERS

KARCHER HNG SERIES Electric-Powered, Natural Gas-Heated, Cabinet Design

Cabinet-style pressure washer has optional remote station for indoor or outdoor multi-gun wash operation



KARCHER
7-YEAR
PUMP
WARRANTY

Cabinet design: Electric-powered, natural gas/LP-heated



Same Pump, Same Kit
Shark-Karcher crankcase pumps use the same repair kits as Shark and Legacy pumps.

For indoor cleaning with hot water, our HNG natural gas and liquid propane models are ideal. They pack cleaning power of up to 3000 PSI and yet fit within a small footprint. All 10 models are driven by industrial belt-drive high-pressure pumps and feature Schedule 80 heating coils with North American fittings and accessories.

Features

- Available in 120V, 230V, 460V and 575V
- High-efficiency burner with standing pilot
- Industrial belt-drive crankcase pump
- 1/2" Schedule 80 heating coil
- Enclosed cabinet with powder coat finish

Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	BTU	Ship Wt
HNG-352007A	1.575-701.0	3.5	2000	5	230V / 1 ph	22	Karcher KD	353,125	741 lbs
HNG-402007A	1.575-702.0	3.9	2000	6.2	230V / 1 ph	29	Karcher KM	407,754	801 lbs
HNG-502007A	1.575-705.0	5.0	2000	8.2	230V / 1 ph	36	Karcher KM	478,134	844 lbs
HNG-502007B	1.575-706.0	5.0	2000	7.5	230V / 3 ph	25	Karcher KM	478,134	814 lbs
HNG-502007C	1.575-707.0	5.0	2000	7.5	460V / 3 ph	13	Karcher KM	478,134	795 lbs
HNG-353007A	1.575-708.0	3.5	3000	8.2	230V / 1 ph	36	Karcher KM	353,125	835 lbs
HNG-353007B	1.575-709.0	3.5	3000	7.5	230V / 3 ph	25	Karcher KM	353,125	810 lbs
HNG-503007B	1.575-711.0	4.8	3000	10	230V / 3 ph	28	Karcher KM	455,883	810 lbs
HNG-503007C	1.575-712.0	4.8	3000	10	460V / 3 ph	15	Karcher KM	455,883	823 lbs
HNG-503007G	1.575-713.0	4.8	3000	10	575V / 3 ph	13	Karcher KM	455,883	817 lbs

Dimensions: 44"L x 28"W x 49"H

OPTIONS (Factory Installed)

PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
9.801-014.0	Electronic Ignition	9.801-032.0*	Wheel Kit with LP Bottle Rack
9.801-015.0	Time Delay Shutdown	9.801-016.0	Remote, One Station
9.801-038.0	Auto Start / Stop Control	9.801-017.0	Remote, One Station, Time Delay Shutdown
9.801-042.0	Convert Natural Gas to LP Gas (millivolt units)	9.801-018.0	Remote, One Station, Auto Start Stop
9.801-019.0	Convert Natural Gas to LP Gas (electric units)	9.801-021.0	Extra Remote Box with Time Delay Shutdown
9.801-020.0	Steam Combination	9.801-022.0	Extra Remote Box with Auto Start Stop
9.801-040.0*	10-Inch Draft Diverter	9.801-039.0	Stainless Steel Wrap and Cabinet Cover
* Field installed only		9.802-633.0*	LP Regulator Assembly

HEATING MODULE FOR COLD WATER PRESSURE WASHERS

KARCHER HP HEATER

Electric-Powered, Diesel-Heated

Attaches to a cold water pressure washer and heats the water so it acts like a hot water pressure washer



Heater Only: Portable electric heating module

Our HP water heater provides supplemental heat to cold water machines, giving users the benefits of hot water cleaning when it's needed. An electric-powered diesel-heated unit, the HP efficiently heats water at a rate of up to 5 gallons per minute.

Features

- Leak-free steel-pipe heating coil
- Effective heating of up to 5 GPM
- ETL certified to UL & CSA standards

Model	Order No.	GPM	PSI	Electrical	Amps	Heated By	Ship Wt
HP-5030D	1.575-650.0	Up to 5.0	Up to 3000	120V / 1ph	5	Diesel	320 lbs

Dimensions: 29"L x 41"W x 47"H



Same great equipment...just a new color!

Built in North America

MOBILE WASH SYSTEMS

KARCHER TRS SERIES

Mobile Wash Systems

Trailer packages, both capable of carrying skid-type pressure washers, deliver self-contained on-site cleaning



TRS-6000
Shown with options



TRS-3500

Shark-Karcher has made customizing a mobile wash system for on-site cleaning as easy as 1-2-3.

- **Step 1:** Choose from two rugged trailers—the dual-axle TRS-6000 with 330-gallon water tank or the single-axle TRS-3500 with 200-gallon water tank.
- **Step 2:** Select from 9 models of the Shark-Karcher skid-mounted hot water pressure washers (see page 7) to create the professional cleaner's dream system.
- **Step 3:** Customize your trailer with a broad selection of options and accessories, such as hose reels, chrome coverings, etc. A full list is below.

Both trailers are made of extra-rugged 2-by-3 inch structural tubing. The wheel and axle assembly feature leaf-spring suspension of up to 3,500 lbs. per

axle and 15-inch, white-spoke wheels.

Other features include:

- Electrical wiring recessed within tubular frame;
- Lighted license plate holder and recessed tail lights;
- 1,000 lb. swivel jack with a 2⁵/₁₆-inch ball coupler for quick and easy hook up of the trailer;
- Two 3-way ball valves for easy switching of the water flow from the holding tank to a faucet;
- Rugged steel cage for security while transporting;
- High-density, polyethylene water tank with a 12-inch access port, 1¹/₂-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter; and two 5/16-inch chains for additional safety.

Features

- Single or tandem axle models for customer flexibility
- 9 models of hot water pressure washers
- 200- or 330-gallon water tank made of high-density, polyethylene
- Electrical wiring recessed within rugged tubular frame
- Two 3-way ball valves for easy switching of water flow

Model	Order No.	Axle	Load Capacity	Water Tank	Ship Weight*
TRS-3500	1.103-806.0	Single	3300 lbs	200 gallon	840 lbs
TRS-6000	1.103-807.0	Tandem	6000 lbs	330 gallon	1980 lbs

*Trailer and water tank only

OPTIONS (Factory Installed)

PART NO. DESCRIPTION

BATTERY

8.904-051.0 Battery Installed On Pressure Washer

BRAKE: ELECTRIC BRAKE OPTIONS

- 8.902-437.0 Electric Brake, One Axle, TRS-6000
- 8.902-445.0 Electric Brake, Two Axles, TRS-6000
- 8.902-440.0 Electric Brake, TRS-3500
- 8.902-436.0 Height Adjustable Hitch w/ 3-in. Lunette Eye (Replaces Ball Coupler)
- 8.707-532.0 2-inch Ball Coupler (Fits Height Adjustable Hitch 8.902-436.0 above)
- 8.707-531.0 2-⁵/₁₆-inch Ball Coupler (Fits Height Adjustable Hitch 8.902-436.0 above)
- 8.707-506.0 Kit, Breakaway Actuator with Battery

BRAKE: HYDRAULIC BRAKE OPTIONS

- 8.902-438.0 Hydraulic Brake, One Axle, TRS-6000 with 2-in. Ball Coupler
- 8.902-446.0 Hydraulic Brake, Two Axles, TRS-6000 with 2-in. Ball Coupler
- 8.902-441.0 Hydraulic Brake, TRS-3500 with 2-inch Ball Coupler
- 8.902-451.0 Hydr. Brake, One Axle, TRS-6000 w/ Height Adj. Hitch (Specify Coupler below)
- 8.902-452.0 Hydr. Brake, Two Axles, TRS-6000 w/ Height Adj. Hitch (Specify Coupler below)
- 8.902-453.0 Hydraulic Brake, TRS-3500, w/ Height Adjustable Hitch (Specify coupler below)
- 8.707-532.0 Coupler, 2-inch Ball (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-453 above)
- 8.707-531.0 Coupler, 2-⁵/₁₆-inch Ball (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-453 above)
- 8.902-471.0 Coupler, 3-inch Lunette Eye (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-453 above)

PART NO. DESCRIPTION

CHEMICAL RACK

8.912-409.0 Dual 5 gal. Bucket Chemical Rack

FUEL TANK AND TOOL BOX [Diesel Only]

- 8.902-464.0 Fuel & Tool, Tank 45 gal., TRS-6000 only
- 8.902-465.0 Fuel & Tool, Tank 24 gal., TRS-6000 only

HOSES INSTALLED

- 8.915-156.0 High-Pressure Hose, 3/8-inch x 100 ft., 2-Wire, Installed
- 8.915-155.0 Garden Hose, 3/4-inch x 50 ft., Installed

HOSE REEL KITS (Hose NOT Included)

- 8.902-447.0 Hose Reel Kit for 100 ft. of 3/8-inch High-Pressure Hose
- 8.902-448.0 Hose Reel Kit for 200 ft. of 3/8-inch High-Pressure Hose
- 8.902-449.0 Hose Reel Kit for 75 ft. of 3/4-inch Industrial Garden Hose

MOUNTING KITS


8.902-455.0 Skid Mounting & Plumbing Kit (Required for Mounting Pressure Washer to Trailer)

SIGNAGE PLATE

8.902-469.0 Signage Plate

WHEELS AND FENDERS

- 8.902-466.0 Chrome Wheels, Pair, w/ ST205/75D15/C Spare Tire (2 Pair Required for TRS-6000)
- 8.902-468.0 Chrome Fenders, Pair, TRS-6000 Tandem Axle
- 8.902-467.0 Chrome Fenders, Pair, TRS-3500 Single Axle



Same great equipment...just a new color!

Built in North America

ACCESSORIES

40,000+
Pressure Washer Parts
Available to Order

CYCLONE SURFACE CLEANER

Attaches to a Hot or Cold Water Washer

Water-propelled spray bar spins at 2000 RPM to 'mow' grime from floors, patios, sidewalks, etc.



The Cyclone attaches to a hot- or cold-water-pressure washer (preferably with 2000-3500 PSI) and cleans flat surfaces fast. Using a spray bar that spins at 2000 RPM, the Cyclone seemingly glides across floors, patios and walkways riding on the evenly balanced tubed pneumatic tires and swivel caster wheel. The rotating bar is made of stainless steel. Other features include: durable, rust-free polyethylene spray housing; fatigue-free trigger handle turns unit on/off for operator safety; tangle-free hose connection; tri-lingual operating instructions for liability protection.

Features

- Polyethylene Housing—rugged but not too heavy to transport
- Fatigue-free trigger handle
- Tangle-free hose connection
- Swivel caster for easy maneuvering
- 22" wide, fits thru doorways
- All-terrain, tubed pneumatic tires

Model	Order No.	Description
30-587	8.903-608.0	Shark-Karcher Cyclone high-speed surface cleaner

STEEL EAGLE SURFACE CLEANER

Attaches to Most Pressure Washers

Water-propelled spray bar has adjustable height for cleaning a variety of soft and hard surfaces



The Steel Eagle Surface Cleaner is the perfect accessory to maximize a pressure washer's effectiveness on cleaning flat surfaces. By using the force generated from your pressure washer to spin two spray nozzles at high speeds, it reduces cleaning time by as much as 66%. Built with light and durable aluminum, the spinner will provide years of dependable service.

Features

- 8 GPM max flow
- 4000 PSI maximum pressure
- 210°F max temperature
- 24" or 30" cleaning path

Order No.	Description
8.710-080.0	24" Steel Eagle surface cleaner
8.710-081.0	30" Steel Eagle surface cleaner

DETERGENT INJECTOR

For Downstream Application of Soap

Injector attaches to pressure washer and automatically injects detergents into the high-pressure spray



Applying detergent while pressure washing is simple with the detergent injector. Made totally of non-corrosive materials, it includes a brass quick-coupler, stainless steel nipple, durable vinyl hose, detergent filter and brass detergent nozzle. Adjustable injectors allow you to meter the detergent with the twist of a brass knob. Kits are available for up to 5000 PSI.

Features

- Adjustable and non-adjustable kits
- Made of non-corrosive materials
- See-through hose to view flow
- Comes with brass nozzle

Old No.	Order No.	Description	GPM	PSI
4-011182	8.904-462.0	Detergent Injection Kit, adjustable	2-3	Up to 3500
4-011181	8.904-461.0	Detergent Injection Kit, adjustable	3-4	Up to 3500
4-011118	8.904-459.0	Detergent Injection Kit, adjustable	4-6	Up to 3500
4-011186	9.802-226.0	Detergent Injection Kit, adjustable	4-5.3	Up to 5000
4-0111831	8.904-464.0	Detergent Injection Kit, non-adjustable	1-2	Up to 3500
4-011183	9.802-224.0	Detergent Injection Kit, non-adjustable	2-3	Up to 3500
4-011184	9.802-225.0	Detergent Injection Kit, non-adjustable	3-5	Up to 3500



Same great equipment...just a new color!

Built in North America

ACCESSORIES

40,000+
Pressure Washer Parts
Available to Order

HOSE REELS

Featuring Revolutionary 360° Tangle-Free Swivel Design

Pivot reel takes the muscle out of fighting high pressure hose and keeps it safely away from traffic



The Shark-Kärcher pivot hose reel features a sturdy, lockable, 360° swivel design so it is always aligned with the hose for tangle-free pressure washing. There are two types: pivot and standard (non-pivot). All are rated at 5000 PSI and 325°F to meet maximum limits of standard 3/8-inch high-pressure hoses. Reels range in three sizes to handle 100, 200 or 400 feet of high-pressure hose and carry a two-year warranty. Features include: stainless steel rotor and dual seal swivel, "flip-over" hose guide, spring-action pin to prevent slippage when winding hose and easy-to-engage cam-lever brake. It is the standard in the industry!

Features

- Rugged steel with all-weather powder coat finish
- 2-year, leak-free warranty
- 'Flip-over' hose guide for protection against injury
- Spring-action stainless steel pin prevents slippage
- Hard-pull protection

	Old No.	Order No.	Description	Hose Capacity
A	4-02751030	9.558-016.0	Pivot reel, 360° swivel	for 100 ft. of 3/8" hose
	4-02752030	9.558-017.0	Pivot reel, 360° swivel	for 200 ft. of 3/8" hose
	4-02751025	9.558-013.0	Standard, non-pivot reel	for 100 ft. of 3/8" hose
	4-02751026	9.558-014.0	Standard, non-pivot reel	for 200 ft. of 3/8" hose
B	4-02755030	9.804-067.0	E-ZEE Reel, non-pivot	for 100 ft. of 3/8" hose
	4-02043505C	8.711-638.0	Jumper Connection Hose Connects hose reel to pressure washer	5 ft. of 3/8" hose Fits all Kärcher-Shark hot water models
C	4-02750001	8.711-858.0	Cox hose reel	for 175 ft. of 3/8" hose

TRIGGER GUNS

Attach to Wand for On-Off Action at the Point of Cleaning

Insulated, fatigue-free design reduces the hand-numbing strain of the non-stop power washing




Shark-Kärcher offers the highest quality trigger guns able to withstand pressures of up to 5000 PSI. All are insulated and feature a fatigue-free design for reducing the strain and numbing effect of continuously operating a pressure washer.

Features

- Insulated for operator protection
- Fatigue-free design to alleviate numbing effect of continuous power washing

	Old No.	Order No.	PSI	GPM	Temp Rating
A	4-01246	9.802-229.0	4500	12	300° F
B	81-21250	8.710-394.0	5000	10	300° F
C	4-01219A*	8.711-339.0	5000	7.6	320° F

* Includes gun, wand and coupler for use with 5000 PSI pressure washers



Same great equipment...just a new color!

Built in North America

ACCESSORIES

40,000+
Pressure Washer Parts
Available to Order

HIGH-PRESSURE HOSE

Made with Extra-Rugged Steel-Wire Braid

Maximum abrasion-resistant high-pressure hoses rated for temperatures of up to 275°F



Shark-Karcher's easy-to-identify hose is made of the highest quality. Tested to ISO 6945 / DIN 20024, it has proven to have seven times more abrasion resistance than other brands yet 20% more flexible.

Features

- Maximum-strength Class A ORS
- 20% More flexible than other brands
- Unique high-endurance wire braid

	Old Part Number	Order Number	PSI Rating	Hose Length	Wire Braid	Inside Diameter	Hose Color	Hose Guard Color
A	4-020650	8.739-125.0	3000	50 ft.	Single	3/8"	Black	Black
	4-020699	8.739-127.0	3000	100 ft.	Single	3/8"	Black	Black
	4-020450	8.739-203.0	6000	50 ft.	Double	3/8"	Black	Red
	4-020499	8.739-068.0	6000	100 ft.	Double	3/8"	Black	Red
B	4-02033450B	8.739-130.0	3000	50 ft.	Single	3/8"	Blue	Black
	4-02033498B	8.739-150.0	3000	100 ft.	Single	3/8"	Blue	Black
	4-02043450B	8.739-208.0	4500	50 ft.	Double	3/8"	Blue	Red
	4-02043498B	8.739-210.0	4500	100 ft.	Double	3/8"	Blue	Red
C	4-020750BSC*	8.711-722.0	4500	50 ft.	Double	3/8"	Blue	Red

*Equipped with coupler and nipple

WANDS

Attach to a Trigger Gun to Put the Cleaning Action Where You Need It

Stainless steel and chrome-plated wands deliver a variety of alternatives for pressure washing



There is a Shark-Karcher wand to meet every cleaning need. There are both stainless steel and economical chrome-plated models for both the variable pressure and straight through wands with lengths ranging from 31 to 79-inches.

Features


- Easy to attach
- Stainless steel or chrome-plated
- Varying lengths up to 79 inches

	Old No.	Order No.	Length	Functionality	Made Of	Insulated	Coupler
A	4-0110322	9.802-219.0	36"	Side Handle	Chrome Plated	No	Yes
B	4-0111341A	9.802-222.0	36"	Variable Pressure	Chrome Plated	Yes	Yes
C	4-011053	8.711-279.0	31"	Straight Through	Stainless Steel	No	No
C	4-011054	8.711-281.0	40"	Straight Through	Stainless Steel	No	No
C	4-0111321	8.711-290.0	72"	Straight Through	Stainless Steel	No	No
D	4-0111427	8.711-300.0	79"	Straight Through	Chrome Plated	Yes	No

TELESCOPING WAND

Extends Cleaning Reach Capability by Up to 24 Feet

Light-weight and unique design this wand makes easy work of cleaning a 2- or 3-story building




Reaching high places with a pressure washer just got easier with Shark-Karcher's telescoping wand. Made of light-weight fiberglass and aluminum, it's the easiest handling extension wand on the market for cleaning multi-story buildings at heights of up to 24-feet and at pressures of up to 3000 PSI.

Features

- Extends up to 24 feet
- Light and balanced for ease in cleaning
- Made of fiberglass and aluminum
- For use up to 300° F

	Old No.	Order No.	Description	Length
	4-011012	8.710-589.0	Telescoping wand with shut-off gun, 4000 PSI	6 - 12 ft.
	4-011018	8.710-590.0	Telescoping wand with shut-off gun, 4000 PSI	6 - 18 ft.
	4-011024	8.710-591.0	Telescoping wand with shut-off gun, 4000 PSI	6 - 24 ft.



Same great equipment...just a new color!

Built in North America


ACCESSORIES

40,000+
Pressure Washer Parts
Available to Order

QUICK COUPLERS

Easy Way to Attach High-Pressure Hoses and Nozzles

Precision brass couplers and hardened steel nipples provide years of leak-free service



Shark-Karcher quick couplers are the easy way to attach high-pressure nozzles and hoses. A precision brass design is used for the couplers, which are made of brass and withstand pressures of up to 3500 PSI. Nipples are a zinc-plated, hardened steel also rated for up to 3500 PSI.

Features

- Precision design
- For spray pressure of up to 3500 PSI
- Made of rust-free materials

Old No.	Order No.	Size	Function	Thread	Old No.	Order No.	Size	Function	Thread
A 2-2000	9.802-164.0	1/4"	Coupler	Female	B 2-2004	8.707-136.0	1/4"	Nipple	Female
2-2001	9.802-165.0	1/4"	Coupler	Male	2-2005	8.707-139.0	1/4"	Nipple	Male
2-2002	9.802-166.0	3/8"	Coupler	Female	2-2006	9.802-170.0	3/8"	Nipple	Female
2-2003	9.802-169.0	3/8"	Coupler	Male	2-2007	9.802-171.0	3/8"	Nipple	Male



PARTS BOX

Most Commonly Used Replacement Parts

Technicians will love having the parts they use most often always at their fingertips

Keep replacement parts at the tip of your fingers with the Shark-Karcher Parts Box. It includes an assortment of the most commonly used replacement parts—couplers, spray nozzles, and O-rings—all conveniently sorted in a heavy-duty tote box. (Individual parts in the box are listed below with costs.)

Old Part No. 30-111
Order No. 8.903-421.0

Old No.	Order No.	Description	Quantity Per Kit	Old No.	Order No.	Description	Quantity Per Kit
2-2000	9.802-164.0	1/4" Female Quick Coupler	4	4-12803515	9.802-292.0	3.5 15° Spray Nozzle	4
2-2001	9.802-165.0	3/4" Male Quick Coupler	4	4-12804015	9.802-296.0	4.0 15° Spray Nozzle	4
2-2002	9.802-166.0	3/8" Female Quick Coupler	4	4-12804025	9.802-297.0	4.0 25° Spray Nozzle	4
2-2003	9.802-169.0	3/8" Male Quick Coupler	4	4-16540	9.802-311.0	65° Soap Nozzle	4
2-2006	9.802-170.0	3/8" Female Plug	4	2-10942	9.802-146.0	Inlet Swivel with Strainer	1
2-1902	9.802-016.0	Water Inlet Strainer	4	2-2007	9.802-171.0	3/8" Male Plug	4
2-0121	9.802-100.0	3/8" HNBR O-Ring	20	2-3409	9.802-192.0	Rupture Disk	1
2-0119	9.802-096.0	1/4" HNBR O-Ring	20	2-30082	9.802-182.0	1/2" Thermal Relief Valve	2
4-12803015	9.802-288.0	3.0 15° Spray Nozzle	4	2-1904	9.802-160.0	Detergent Tube Strainer	4
4-12803025	9.802-289.0	3.0 25° Spray Nozzle	4				

TEST GAUGES

Monitors Operational Pressure, Temperature and Fuel

Accurate gauges are essential to the proper maintenance of a pressure washer and for troubleshooting



These high-quality gauges attach to various components on the pressure washer to monitor fuel or water pressure as well as water temperature for maintenance purposes.

Features

- Quick couples to discharge
- Glycerin filled gauges

Old No.	Order No.	Description	PSI
A 4-0600	8.712-207.0	Pressure Gauge Assembly	0-5000
B 4-0601	8.904-560.0	Pressure/Temperature Gauge, 0-500°F	0-5000
4-0602	8.904-542.0	Fuel, Pressure Gauge	0-300



Same great equipment...just a new color!

Built in North America

ACCESSORIES

40,000+
Pressure Washer Parts
Available to Order

STANDARD NOZZLES

Replacement Nozzles for Shark-Karcher Models

Broad selection of nozzles gives you plenty of spray patterns for all Shark-Karcher pressure washers



Make sure you ask for genuine Shark-Karcher replacement nozzles. Made of hardened stainless steel and color-coded for ease of selecting, these nozzles come in convenient bubble packs containing the four most commonly used fan sprays: 0°, 15°, 25° and 40° plus a soap nozzle.

Features


- Packets: 4 high-pressure, 1 soap nozzle
- Made of hardened stainless steel
- Color-coded for ease in selecting

Old No.	Order No.	Size	Description of Package Contents
4-0003S	8.708-719.0	3	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0035S	8.708-720.0	3.5	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0004S	8.708-721.0	4	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0045S	8.708-722.0	4.5	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0005S	8.708-723.0	5	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0055S	8.708-724.0	5.5	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0006S	8.708-725.0	6	SET OF 5: 0°, 15°, 25°, 40°, Soaper
4-0007S	8.708-726.0	7	SET OF 5: 0°, 15°, 25°, 40°, Soaper

LEGACY ROTARY NOZZLE

Revolution Attaches to All Pressure Washers

Spinning action delivers both the deep cleaning penetration of a 0° nozzle and the fast cleaning of a 25° nozzle



The Legacy Revolution rotary nozzle is rated for up to 4350 PSI at 185°F. Turning at an astounding 4000 RPM, the Revolution delivers faster and deeper cleaning action for the price of a 3000 PSI rotary nozzle.

Features

- Greater cleaning power
- Longer operating life
- Extra durable and versatile

Old No.	Order No.	Orifice	PSI	Old No.	Order No.	Orifice
374231	9.302-242.0	3.5	4350	079920	8.932-951.0	3.5
374232	9.302-243.0	4.0	4350	079921	2.883-824.0	4.0
374233	9.302-244.0	4.5	4350	079922	8.932-953.0	4.5
374234	9.302-245.0	5.0	4350	079923	2.883-823.0	5.0
374235	9.302-246.0	5.5	4350	079924	2.883-822.0	5.5
374236	9.302-247.0	6.5	4350	079925	8.932-956.0	6.5
374237	9.302-248.0	7.0	4350	079926	2.884-974.0	7.0
374238	9.302-249.0	10.0	4350	079927	2.884-975.0	10.0

NOZZLE FILTER

Protects Rotary Nozzle from Damaging Debris

Placed between rotary nozzle and wand, this filter keeps water-borne debris from damaging nozzle ceramics


This nozzle filter, with its 100-mesh screen, is attached between the rotary nozzle (see listing above) and the wand to filter out and prevent debris from damaging the ceramics in the rotary nozzle thus extending the life of the rotary nozzle. It is rated to handle flow pressure of up to 5000 PSI.

Features

- 1/4" MPT outlet
- 300°F maximum temperature
- 100-mesh screen



Old No.	Order No.	Made Of	Inlet	Outlet
347097	8.710-149.0	416 Stainless Steel	1/4-inch QC	1/4-inch MPT



Same great equipment...just a new color!

Built in North America

COMMERCIAL DETERGENTS

40,000+
Pressure Washer Parts
Available to Order

COMMERCIAL DETERGENTS

Liquid Concentrates for Pressure Washers

Extra-strength industrial formulas for use with pressure washers and available in 5 and 55 gallon containers

KD-100 All-Purpose Cleaner for Pressure Washers



9.803-791.0



9.803-789.0

- Dilution Ratio: 130:1
- Biodegradable: Yes

KD-100 is a non-caustic, butyl-based blend of ingredients formulated to provide a low-foaming detergent for safe removal of dirt and grime off a broad range of surfaces around the home or shop. **Safe to Use On:** Aluminum, stainless steel, glass, plastic, paint and fine automotive finishes. **Applications:** Effectively removes dirt and grime. **Ideal For:** Building exteriors, shop and warehouse floors, windows, etc.

Part No.	Description	Container	Ship Wt
9.803-789.0	KD-100 All-Purpose Cleaner	5 Gal Pail	47 lbs
9.803-791.0	KD-100 All-Purpose Cleaner	55 Gal Drum	495 lbs

KD-120 Chlorinated All-Purpose Cleaner



9.803-716.0



9.803-712.0

- Dilution Ratio: 60:1
- Biodegradable: Yes

KD-120 is a high-powered, non-caustic, general purpose cleaner with a bleach additive for extra-effective cleaning in a variety of applications, particularly kitchens, food processing and animal control. **Safe to Use On:** Aluminum, stainless steel, glass, plastic and paint. **Applications:** Stains, dirt, soils with carbon, oils, fats and greases as well as mildew, mold, soap scum and tough odors. **Ideal For:** Floors, walls, cabinets, patios, decks, ceilings, pens and crates.

Part No.	Description	Container	Ship Wt
9.803-712.0	KD-120 All-Purpose Cleaner	5 Gal Pail	46 lbs
9.803-716.0	KD-120 All-Purpose Cleaner	55 Gal Drum	495 lbs

KD-200 Extra-Strength Vehicle Cleaner



9.803-750.0



9.803-720.0

- Dilution Ratio: 120:1
- Biodegradable: Yes

KD-200 is concentrated, non-butyl, heavy duty vehicle wash is distinguished by a special alcohol ingredient that helps restore old vehicle painted surfaces and can even give paint a "newly waxed" appearance. **Safe to Use On:** Aluminum, stainless steel, glass, plastic, fine painted finishes, chrome. **Applications:** Dirt, grime, grease, road film. **Ideal For:** Vehicle wash facilities, heavy equipment, shop floors, metal or plastic tanks, RVs, trucks, and autos.

Part No.	Description	Container	Ship Wt
9.803-720.0	KD-200 Vehicle Cleaner	5 Gal Pail	45 lbs
9.803-750.0	KD-200 Vehicle Cleaner	55 Gal Drum	496 lbs

KD-320 Heavy-Duty Cleaner-Degreaser



9.803-772.0




9.803-732.0

- Dilution Ratio: 100:1
- Biodegradable: Yes

KD-320 is a heavy-duty, non-butyl, non-caustic degreaser that quickly penetrates and removes grime, oils and grease. This high-concentrated blend is formulated to wet, penetrate and suspend soil, oils and grease. **Safe to Use On:** Virtually every surface, including aluminum, stainless steel, glass, plastic, paint and fine automotive finishes. **Applications:** Grease, grime, oils, dirt. **Ideal For:** Vehicles, equipment, RVs, drilling rigs, trucks, etc.

Part No.	Description	Container	Ship Wt
9.803-732.0	KD-320 Cleaner-Degreaser	5 Gal Pail	48 lbs
9.803-772.0	KD-320 Cleaner-Degreaser	55 Gal Drum	505 lbs



Same great equipment...just a new color!

Built in North America

COMMERCIAL DETERGENTS

40,000+
Pressure Washer Parts
Available to Order

PORTION PACK DETERGENTS Powder Concentrates for Pressure Washers

Top-quality, commercial formulas that are extra-easy to store, transport and mix—1 pack makes 5 gallons



Each
Pack Makes
5 Gallons
FREE Freight on
2+ Cases

Shark-Karcher's new Portion Pack detergents are the retailers answer to messy, bulky liquid formulas. Each of these handy packets contain enough powder concentrate to make 5 gallons of ready-to-use liquid detergent.

Simply drop a self-dissolving package of powder into a pail, add water and stir. Instantly you have 5 gallons of commercial-grade detergent.

All five formulas are shipped in an attractive counter display case (photo at left) containing 16 portion packs.

Freight is FREE on two or more cases.

These detergents are ideal for rental centers as they are a high-profit consumable (that means they'll be back for more) and they're an easy add-on to a sale or rental.



GENERAL PURPOSE CLEANER

Shark-Karcher General Purpose cleaner works well on painted or unpainted surfaces, vinyl, aluminum and fiberglass. Forms well with cold water and is easy to rinse.

Order No.	Description	Volume	Ship Wt
8.916-004.0	General Purpose Cleaner	1 Case of 16 Portion Packs	13 lbs
8.916-028.0	General Purpose Cleaner	Pallet of 40 Cases	279 lbs

DECK & FENCE CLEANER

Shark-Karcher Deck & Fence Cleaner is a detergent that works great on wood surfaces, and is effective on non-wood fences, crates and pens. Good at cleaning mold/mildew and penetrating tough stains.

Order No.	Description	Volume	Ship Wt
8.916-005.0	Deck & Fence Cleaner	1 Case of 16 Portion Packs	13 lbs
8.916-029.0	Deck & Fence Cleaner	Pallet of 40 Cases	279 lbs

HOUSE & SIDING WASH

Shark-Karcher House & Siding Wash is safe on all painted and unpainted surfaces, and will remove grease and oils, film and other residues. Works very well with cold water.

Order No.	Description	Volume	Ship Wt
8.916-006.0	House & Siding Wash	1 Case of 16 Portion Packs	13 lbs
8.916-030.0	House & Siding Wash	Pallet of 40 Cases	279 lbs



Same great equipment...just a new color!

Built in North America

COMMERCIAL DETERGENTS

40,000+
Pressure Washer Parts
Available to Order



DRIVEWAY & CONCRETE CLEANER

Shark-Karcher Driveway & Concrete cleaner is safe to use indoors or outdoors and is effective at removing grease and oils. It is a low foaming, easy to rinse detergent that works great on oil spots.

Order No.	Description	Volume	Ship Wt
8.916-007.0	Driveway & Concrete Cleaner	1 Case of 16 Portion Packs	13 lbs
8.916-031.0	Driveway & Concrete Cleaner	Pallet of 40 Cases	279 lbs



TRUCK & CAR WASH

Shark-Karcher Truck & Car Wash is a heavy-duty detergent safe for all vehicle surfaces. It is a good pre-soak for white walls, and is effective at removing exhaust and smoke stains.

Order No.	Description	Volume	Ship Wt
8.916-008.0	Truck & Car Wash	1 Case of 16 Portion Packs	13 lbs
8.916-032.0	Truck & Car Wash	Pallet of 40 Cases	279 lbs

ENVIRONMENTAL SOLUTIONS

WASTEWATER TREATMENT

Automated, Low-Maintenance Systems

New EC+Plus technology makes wash-water treatment easier, more effective and more affordable than ever

Featuring
NEW EC+Plus
Technology

Patent #D555,303




Patent pending

EC1-300A Treatment System:
Compact, recycling system uses proprietary EC+Plus technology to treat and recycle a broad range of waste streams, including wash water, at a rate of up to 6 GPM.

WP-914 Wash Pad:
Most rugged, self-contained wash pad on the market. It is made of steel and has a sloped floor to a centralized trench drain. The pad is modular in design for ease of installation.

Shark-Karcher—in an alliance with our sister company, Water Maze—can now offer our customers a wastewater recycling treatment system along with a portable, all-steel wash pad capable of handling weights of up to 5,000 pounds. The EC1-300A features Water Maze's patent-pending EC+Plus technology that integrates electrocoagulation and polymer injection to create a fully automated, low-maintenance and affordable wash facility complete with wash-water recycling system and portable wash pad.



Same great equipment...just a new color! Built in North America

Shark-Kärcher Pressure Washers

PHONE 800.771.1881

FAX 877.526.3246

www.shark-pw.com

Effective 1 January 2008

A Company of the Kärcher Group

